



234 BLOCK

地番名	地積
W234-1	41470.63 m ²
W234-2	5185.13 m ²
W234-3	2045.17 m ²
W234-4	156.90 m ²
W234-5	2651.39 m ²
W234-6	5823.71 m ²
W234-7	2147.17 m ²
合計	59480.10 m ²

[illegible]

$$\begin{array}{r}
 1,700 \text{ C13} \\
 1,300 \text{ C12} \\
 2,448 \text{ C11} \\
 \hline
 5,448
 \end{array}$$


株式会社 オオバ 名古屋支店

面積（座標法）計算書

地番：W234-1

測点名	[1] X(i)	[2] X(i+1)-X(i-1)	[3] Y(i)	[4] Y(i+1)-Y(i-1)	[2]*[3]	[1]*[4]	方向角	夾角	距離
W234-28	-97682.195	67.913	-2838.054	99.398	-192739.511528	-9709378.297737	351-44-47	115-26-38	1.501
W234-C38	-97680.710	4.459	-2838.269	-0.612	-12655.219932	59775.114696	352-24-18	180-39-31	3.000
W234-C39	-97677.736	5.952	-2838.666	-0.759	-16894.855887	74120.112999	353-03-48	180-39-30	3.000
W234-C40	-97674.758	5.960	-2839.028	-0.690	-16920.657933	67431.166221	353-43-19	180-39-31	3.000
W234-C41	-97671.776	5.968	-2839.356	-0.622	-16944.025586	60733.697519	354-22-50	180-39-31	3.000
W234-C42	-97668.791	5.974	-2839.650	-0.553	-16964.954481	54028.607296	355-02-21	180-39-31	3.000
W234-C43	-97665.802	5.980	-2839.909	-0.484	-16983.440723	47316.805509	355-41-52	180-39-31	3.000
W234-C44	-97662.811	4.126	-2840.134	-0.306	-11719.021829	29880.747498	355-55-18	180-13-26	1.138
W234-19	-97661.676	2.994	-2840.215	-0.189	-8502.245229	18500.295418	356-39-31	180-44-13	1.862
W234-C131	-97659.817	4.855	-2840.324	-0.256	-13790.373112	24952.415302	357-11-31	180-32-00	3.000
W234-C132	-97656.821	5.994	-2840.471	-0.260	-17026.498827	25344.689122	357-51-00	180-39-29	3.000
W234-C133	-97653.823	5.997	-2840.583	-0.191	-17034.517538	18619.312606	358-30-29	180-39-29	3.000
W234-C134	-97650.824	5.999	-2840.661	-0.122	-17040.082975	11891.897797	359-09-58	180-39-29	3.000
W234-C135	-97647.824	6.000	-2840.705	-0.053	-17043.194137	5163.343528	359-49-27	180-39-29	3.000
W234-C136	-97644.824	6.000	-2840.714	0.016	-17043.850497	-1565.500408	0-28-56	180-39-29	3.000
W234-C137	-97641.824	5.999	-2840.689	0.085	-17042.051721	-8293.716086	1-08-25	180-39-29	3.000
W234-C138	-97638.825	5.998	-2840.629	0.154	-17037.798233	-15020.415092	1-47-54	180-39-29	3.000
W234-C139	-97635.826	5.996	-2840.535	0.223	-17031.091215	-21744.728758	2-27-23	180-39-29	3.000
W234-C140	-97632.829	5.993	-2840.407	0.292	-17021.932042	-28465.759340	3-06-52	180-39-29	3.000
W234-C141	-97629.834	5.989	-2840.244	0.360	-17010.321708	-35182.628842	3-46-21	180-39-29	3.000
W234-C142	-97626.840	5.985	-2840.046	0.429	-16996.263103	-41894.439956	4-25-50	180-39-29	3.000
W234-C143	-97623.849	5.979	-2839.815	0.498	-16979.759307	-48600.315120	5-05-19	180-39-29	3.000
W234-C144	-97620.861	5.973	-2839.548	0.566	-16960.813019	-55299.376984	5-44-48	180-39-29	3.000
W234-C145	-97617.876	5.966	-2839.248	0.635	-16939.428264	-61990.728891	6-24-17	180-39-29	3.000
W234-C146	-97614.895	5.958	-2838.913	0.704	-16915.608968	-68673.493924	7-03-46	180-39-29	3.000
W234-C147	-97611.918	5.950	-2838.545	0.772	-16889.360382	-75346.795377	7-43-15	180-39-29	3.000
W234-C148	-97608.945	5.941	-2838.142	0.840	-16860.687656	-82009.756758	8-22-44	180-39-29	3.000
W234-C149	-97605.977	5.931	-2837.704	0.908	-16829.595840	-88661.511544	9-02-13	180-39-29	3.000

面 積 (座 標 法) 計 算 書

地 番 : W234-1

測点名	[1] X(i)	[2] X(i+1)-X(i-1)	[3] Y(i)	[4] Y(i+1)-Y(i-1)	[2]*[3]	[1]*[4]	方向角	夾 角	距 離
W234-C150	-97603.014	5.920	-2837.233	0.976	-16796.091870	-95301.164144	9-41-42	180-39-29	3.000
W234-C151	-97600.057	5.908	-2836.728	1.044	-16760.181731	-101927.838696	10-21-11	180-39-29	3.000
W234-C152	-97597.106	5.896	-2836.189	1.112	-16721.873003	-108540.679065	11-00-40	180-39-29	3.000
W234-C153	-97594.161	5.883	-2835.616	1.180	-16681.173164	-115138.809802	11-40-09	180-39-29	3.000
W234-C154	-97591.223	5.869	-2835.009	1.247	-16638.089865	-121721.355663	12-19-38	180-39-29	3.000
W234-C155	-97588.292	5.854	-2834.369	1.315	-16592.632072	-128287.470881	12-59-07	180-39-29	3.000
W234-C156	-97585.369	5.839	-2833.694	1.382	-16544.808350	-134836.280617	13-38-36	180-39-29	3.000
W234-C157	-97582.454	3.615	-2832.987	0.883	-10241.667062	-86143.809184	14-03-05	180-24-29	0.721
W234-10	-97581.754	9.426	-2832.812	-4.709	-26701.802141	459517.104318	330-45-48	136-42-43	10.000
W234-11	-97573.028	32.390	-2837.696	-84.492	-91911.827116	8244107.976137	286-33-17	135-47-29	83.050
W234-12	-97549.364	66.250	-2917.303	-66.948	-193272.703800	6530773.448952	16-33-17	270-00-00	44.429
W234-1	-97506.777	51.380	-2904.644	7.896	-149239.681425	-769901.734851	331-33-17	135-00-00	10.000
W234-2	-97497.985	11.479	-2909.407	-13.801	-33397.938793	1345589.984422	286-33-17	135-00-00	9.429
W234-13	-97495.298	3.465	-2918.446	-11.728	-10111.737783	1143392.935237	286-08-12	179-34-55	2.800
W234-C67	-97494.520	1.517	-2921.135	-5.390	-4431.631966	525532.607256	285-18-04	179-09-52	2.800
W234-C68	-97493.781	1.438	-2923.836	-5.412	-4205.423627	527629.644566	284-27-56	179-09-52	2.800
W234-C69	-97493.081	1.359	-2926.547	-5.432	-3977.908855	529614.659662	283-37-48	179-09-52	2.800
W234-C70	-97492.422	1.280	-2929.268	-5.452	-3749.131438	531487.229218	282-47-40	179-09-52	2.800
W234-C71	-97491.802	1.200	-2931.999	-5.470	-3519.135222	533246.939360	281-57-32	179-09-52	2.800
W234-C72	-97491.221	1.120	-2934.738	-5.487	-3287.964694	534893.463655	281-07-24	179-09-52	2.800
W234-C73	-97490.681	1.040	-2937.485	-5.502	-3055.665282	536426.436368	280-17-16	179-09-52	2.800
W234-C74	-97490.181	0.960	-2940.240	-5.517	-2822.282484	537845.510948	279-27-08	179-09-52	2.800
W234-C75	-97489.721	0.879	-2943.002	-5.530	-2587.862158	539150.418523	278-37-00	179-09-52	2.800
W234-C76	-97489.302	0.799	-2945.771	-5.543	-2352.450824	540340.880154	277-46-52	179-09-52	2.800
W234-C77	-97488.923	0.718	-2948.545	-5.554	-2116.096258	541416.645826	276-56-44	179-09-52	2.800
W234-C78	-97488.584	0.637	-2951.324	-5.563	-1878.845726	542377.484694	276-06-36	179-09-52	2.800
W234-C79	-97488.286	0.555	-2954.108	-5.572	-1640.746870	543223.194835	275-16-28	179-09-52	2.800
W234-C80	-97488.029	0.474	-2956.896	-5.580	-1401.848596	543953.603240	274-26-20	179-09-52	2.800

面積（座標法）計算書

地番：W234-1

測点名	[1] X(i)	[2] X(i+1)-X(i-1)	[3] Y(i)	[4] Y(i+1)-Y(i-1)	[2]*[3]	[1]*[4]	方向角	夾角	距離
W234-C81	-97487.812	0.393	-2959.688	-5.586	-1162.199900	544568.546314	273-36-12	179-09-52	2.800
W234-C82	-97487.636	0.311	-2962.482	-5.591	-921.850157	545067.899125	272-46-04	179-09-52	2.800
W234-C83	-97487.501	0.230	-2965.279	-5.595	-680.849131	545451.555900	271-55-56	179-09-52	2.800
W234-C84	-97487.406	0.148	-2968.077	-5.598	-439.247268	545719.449524	271-05-48	179-09-52	2.800
W234-C85	-97487.353	0.066	-2970.877	-5.599	-197.095105	545871.512541	270-15-40	179-09-52	2.800
W234-C86	-97487.340	-0.015	-2973.677	-5.600	45.556135	545907.716153	269-25-32	179-09-52	2.800
W234-C87	-97487.368	-0.097	-2976.477	-5.599	288.654842	545828.040967	268-35-24	179-09-52	2.800
W234-C88	-97487.437	-0.179	-2979.276	-5.597	532.149610	545632.515996	267-45-16	179-09-52	2.800
W234-C89	-97487.547	-0.260	-2982.074	-5.594	775.987455	545321.179662	266-55-08	179-09-52	2.800
W234-C90	-97487.697	-0.342	-2984.870	-5.589	1020.115896	544894.099290	266-05-00	179-09-52	2.800
W234-C91	-97487.889	-0.423	-2987.663	-5.584	1264.482664	544351.361368	265-14-52	179-09-52	2.800
W234-C92	-97488.121	-0.505	-2990.453	-5.577	1509.033611	543693.081291	264-24-44	179-09-52	2.800
W234-C93	-97488.393	-0.586	-2993.240	-5.569	1753.715396	542919.403362	263-34-35	179-09-51	2.800
W234-C94	-97488.706	-0.667	-2996.022	-5.560	1998.474000	542030.461805	262-44-27	179-09-52	2.800
W234-C95	-97489.060	-0.748	-2998.800	-5.550	2243.254721	541026.487997	261-54-19	179-09-52	2.800
W234-C96	-97489.455	-0.829	-3001.572	-5.538	2488.003976	539907.664240	261-04-11	179-09-52	2.800
W234-C97	-97489.889	-0.910	-3004.338	-5.525	2732.666311	538674.231005	260-14-03	179-09-52	2.800
W234-C98	-97490.364	-0.990	-3007.097	-5.512	2977.186494	537326.457684	259-23-55	179-09-52	2.800
W234-C99	-97490.879	-1.070	-3009.850	-5.497	3221.509226	535864.603599	258-33-47	179-09-52	2.800
W234-C100	-97491.434	-1.150	-3012.594	-5.480	3465.579143	534288.995996	257-43-39	179-09-52	2.800
W234-C101	-97492.030	-1.230	-3015.330	-5.463	3709.340818	532599.961810	256-53-31	179-09-52	2.800
W234-C102	-97492.665	-1.310	-3018.057	-5.444	3952.737264	530797.847164	256-03-23	179-09-52	2.800
W234-C103	-97493.339	-1.389	-3020.775	-5.425	4195.712944	528883.046620	255-13-15	179-09-52	2.800
W234-C104	-97494.054	-1.468	-3023.482	-5.404	4438.211676	526855.964192	254-23-07	179-09-52	2.800
W234-C105	-97494.807	-1.547	-3026.179	-5.382	4680.176629	524717.013345	253-32-59	179-09-52	2.800
W234-C106	-97495.600	-1.625	-3028.864	-5.359	4921.551237	522466.636504	252-42-51	179-09-52	2.800
W234-C107	-97496.432	-1.703	-3031.537	-5.335	5162.278300	520105.324554	251-52-43	179-09-52	2.800
W234-C108	-97497.303	-1.780	-3034.198	-5.309	5402.301499	517633.568104	251-02-35	179-09-52	2.800

面積（座標法）計算書

地番：W234-1

測点名	[1] X(i)	[2] X(i+1)-X(i-1)	[3] Y(i)	[4] Y(i+1)-Y(i-1)	[2]*[3]	[1]*[4]	方向角	夾角	距離
W234-C109	-97498.213	-1.858	-3036.847	-5.283	5641.564196	515051.876989	250-12-27	179-09-52	2.800
W234-C110	-97499.161	-1.935	-3039.481	-5.255	5880.008529	512360.809523	249-22-19	179-09-52	2.800
W234-C111	-97500.147	-2.011	-3042.102	-5.226	6117.577538	509560.923764	248-32-11	179-09-52	2.800
W234-C112	-97501.172	-2.087	-3044.707	-5.196	6354.214876	506652.816513	247-42-03	179-09-52	2.800
W234-C113	-97502.234	-2.163	-3047.298	-5.165	6589.862682	503637.084328	246-51-55	179-09-52	2.800
W234-C114	-97503.334	-2.238	-3049.873	-5.133	6824.464027	500514.372275	246-01-47	179-09-52	2.800
W234-C115	-97504.472	-2.312	-3052.431	-5.100	7057.961701	497285.344692	245-11-39	179-09-52	2.800
W234-C116	-97505.646	-2.386	-3054.973	-5.066	7290.298527	493950.655939	244-21-31	179-09-52	2.800
W234-C117	-97506.858	-2.460	-3057.497	-5.031	7521.417977	490511.028418	243-31-23	179-09-52	2.800
W234-C118	-97508.106	-2.533	-3060.003	-4.994	7751.262659	486967.184320	242-41-15	179-09-52	2.800
W234-C119	-97509.391	-2.606	-3062.491	-4.957	7979.775847	483319.865138	241-51-07	179-09-52	2.800
W234-C120	-97510.712	-2.678	-3064.960	-4.918	8206.900577	479569.831675	241-00-59	179-09-52	2.800
W234-C121	-97512.069	-2.749	-3067.409	-4.879	8432.580571	475717.883557	240-10-51	179-09-52	2.800
W234-C122	-97513.461	-2.820	-3069.839	-4.838	8656.759025	471764.829987	239-20-43	179-09-52	2.800
W234-C123	-97514.889	-2.890	-3072.247	-4.796	8879.379839	467711.499504	238-30-35	179-09-52	2.800
W234-C124	-97516.351	-2.960	-3074.635	-4.754	9100.387018	463558.749749	237-40-27	179-09-52	2.800
W234-C125	-97517.849	-3.029	-3077.001	-4.710	9319.724372	459307.447966	236-50-19	179-09-52	2.800
W234-C126	-97519.380	-3.097	-3079.345	-4.665	9537.336447	454958.490517	236-00-11	179-09-52	2.800
W234-C127	-97520.946	-3.165	-3081.666	-4.620	9753.167307	450512.793141	235-10-03	179-09-52	2.800
W234-C128	-97522.545	-3.232	-3083.965	-4.573	9967.162389	445971.310469	234-19-54	179-09-51	2.800
W234-C129	-97524.178	-2.877	-3086.239	-3.962	8878.142727	386408.404903	233-36-04	179-16-10	2.096
W234-14	-97525.422	-10.488	-3087.927	-14.084	32386.823787	1373561.352082	233-17-18	179-41-14	15.464
W234-3	-97534.666	-14.189	-3100.323	-13.134	43991.883980	1281052.127586	188-29-02	135-11-44	5.000
W234-4	-97539.611	-163.440	-3101.061	115.777	506837.386609	-11292869.940045	143-40-45	135-11-43	196.714
W234-5	-97698.106	-209.011	-2984.546	163.394	623804.399638	-15963307.126821	137-08-20	173-27-35	68.917
W234-21	-97748.623	15.911	-2937.667	146.492	-46740.252863	-14319427.271885	56-18-09	99-09-49	119.730
合計				倍面積 面積	82941.264416 41470.6322081	-82941.264416 41470.6322081			842.451

面積（座標法）計算書

地 番： W234-2

測点名	[1] X(i)	[2] X(i+1)-X(i-1)	[3] Y(i)	[4] Y(i+1)-Y(i-1)	[2]*[3]	[1]*[4]	方向角	夾 角	距 離
W234-21	-97748.623	-102.711	-2937.667	-65.942	301730.928670	6445742.618246	137-08-20	80-50-11	49.500
W234-22	-97784.906	16.042	-2903.996	112.138	-46587.211941	-10965403.832246	56-18-09	99-09-49	94.314
W234-27	-97732.580	54.689	-2825.529	77.633	-154524.814304	-7587237.649439	340-33-02	104-14-53	2.506
W234-C21	-97730.217	5.203	-2826.363	-1.801	-14705.048401	175980.740522	341-12-33	180-39-31	3.000
W234-C22	-97727.377	5.691	-2827.330	-1.900	-16090.593538	185679.016831	341-52-04	180-39-31	3.000
W234-C23	-97724.526	5.713	-2828.263	-1.834	-16156.607950	179268.851817	342-31-35	180-39-31	3.000
W234-C24	-97721.665	5.733	-2829.164	-1.769	-16220.338731	172835.344353	343-11-05	180-39-30	3.000
W234-C25	-97718.793	5.753	-2830.032	-1.703	-16281.773758	166379.359171	343-50-36	180-39-31	3.000
W234-C26	-97715.912	5.772	-2830.867	-1.636	-16340.901066	159901.760817	344-30-07	180-39-31	3.000
W234-C27	-97713.021	5.791	-2831.668	-1.570	-16397.708562	153403.413654	345-09-38	180-39-31	3.000
W234-C28	-97710.121	5.808	-2832.437	-1.503	-16452.185451	146885.162310	345-49-09	180-39-31	3.000
W234-C29	-97707.212	5.825	-2833.172	-1.436	-16504.320529	140347.870770	346-28-40	180-39-31	3.000
W234-C30	-97704.295	5.842	-2833.873	-1.369	-16554.103611	133792.422366	347-08-11	180-39-31	3.000
W234-C31	-97701.371	5.857	-2834.541	-1.302	-16601.525530	127219.690461	347-47-42	180-39-31	3.000
W234-C32	-97698.439	5.871	-2835.175	-1.235	-16646.576438	120630.528683	348-27-12	180-39-30	3.000
W234-C33	-97695.499	5.885	-2835.776	-1.167	-16689.247509	114025.800232	349-06-43	180-39-31	3.000
W234-C34	-97692.553	5.898	-2836.342	-1.099	-16729.530091	107406.416954	349-46-14	180-39-31	3.000
W234-C35	-97689.601	5.911	-2836.875	-1.032	-16767.416276	100773.241643	350-25-45	180-39-31	3.000
W234-C36	-97686.643	5.922	-2837.374	-0.964	-16802.898898	94127.127120	351-05-16	180-39-31	3.000
W234-C37	-97683.679	4.448	-2837.839	-0.680	-12621.449199	66425.018950	351-44-47	180-39-31	1.499
W234-28	-97682.195	-64.944	-2838.054	-99.828	184313.585119	9751446.834779	236-18-09	64-33-22	119.730
合計				倍面積	10370.261996	-10370.261996			315.549
				面 積	5185.1309981	5185.1309981			

面積（座標法）計算書

地 番： W234-3

測点名	[1] X(i)	[2] X(i+1)-X(i-1)	[3] Y(i)	[4] Y(i+1)-Y(i-1)	[2]*[3]	[1]*[4]	方向角	夾 角	距 離
W234-22	-97784.906	-69.198	-2903.996	-62.810	200951.899373	6141824.699956	137-08-20	80-50-11	23.018
W234-23	-97801.779	30.864	-2888.338	87.241	-89145.226918	-8532373.390980	56-18-09	99-09-49	86.041
W234-26	-97754.042	49.280	-2816.754	70.872	-138810.181212	-6927981.181990	335-13-43	98-55-34	1.700
W234-C13	-97752.498	4.282	-2817.467	-1.938	-12065.330790	189430.461125	335-53-32	180-39-49	3.000
W234-C14	-97749.760	5.491	-2818.692	-2.419	-15476.453042	236448.361003	336-33-21	180-39-49	3.000
W234-C15	-97747.008	5.519	-2819.886	-2.353	-15563.157191	230029.196625	337-15-28	180-42-07	3.000
W234-C16	-97744.241	5.547	-2821.046	-2.288	-15647.309924	223602.746117	337-54-59	180-39-31	3.000
W234-C17	-97741.461	5.573	-2822.173	-2.224	-15726.738028	217350.296870	338-34-29	180-39-30	3.000
W234-C18	-97738.668	5.598	-2823.269	-2.160	-15803.966826	211069.469467	339-14-00	180-39-31	3.000
W234-C19	-97735.863	5.622	-2824.333	-2.095	-15878.981345	204761.090583	339-53-31	180-39-31	3.000
W234-C20	-97733.046	3.283	-2825.364	-1.196	-9276.194009	116883.357805	340-33-02	180-39-31	0.494
W234-27	-97732.580	-51.860	-2825.529	-78.632	146531.981915	7684864.551417	236-18-09	75-45-07	94.314
合計				倍面積	4090.341997	-4090.341997			226.567
				面 積	2045.1709988	2045.1709988			

面積（座標法）計算書

地 番： W234-4

測点名	[1] X(i)	[2] X(i+1)-X(i-1)	[3] Y(i)	[4] Y(i+1)-Y(i-1)	[2]*[3]	[1]*[4]	方向角	夾 角	距 離
W234-23	-97801.779	-49.095	-2888.338	-70.323	141802.162872	6877747.271421	137-08-20	80-50-11	1.853
W234-24	-97803.137	46.058	-2887.078	72.365	-132973.077756	-7077572.727479	56-18-09	99-09-49	85.465
W234-25	-97755.721	47.915	-2815.973	70.868	-134926.744217	-6927735.496456	334-33-54	98-15-45	0.552
W234-C12	-97755.222	1.678	-2816.210	-0.781	-4726.039503	76389.880083	335-13-43	180-39-49	1.300
W234-26	-97754.042	-46.556	-2816.754	-72.129	131137.500611	7050857.270424	236-18-09	81-04-26	86.041
合計				倍面積	313.802006	-313.802006			175.211
				面 積	156.9010035	156.9010035			

面積（座標法）計算書

地 番： W234-5

測点名	[1] X(i)	[2] X(i+1)-X(i-1)	[3] Y(i)	[4] Y(i+1)-Y(i-1)	[2]*[3]	[1]*[4]	方向角	夾 角	距 離
W234-24	-97803.137	-59.152	-2887.078	-60.214	170776.348788	5889154.494276	137-08-20	80-50-11	16.010
W234-6	-97814.873	-15.246	-2876.187	40.684	43850.075478	-3979529.923948	96-43-12	139-34-52	30.000
W234-7	-97818.383	26.315	-2846.393	74.519	-74902.750709	-7289373.593619	56-18-09	139-34-57	53.758
W234-8	-97788.558	34.719	-2801.668	45.753	-97271.258565	-4474093.503099	11-51-15	135-33-06	5.000
W234-9	-97783.664	6.966	-2800.641	-0.271	-19508.972209	26534.672852	327-55-42	136-04-27	2.446
W234-C2	-97781.592	4.633	-2801.939	-2.862	-12980.599476	279841.596920	328-35-31	180-39-49	3.000
W234-C3	-97779.031	5.139	-2803.503	-3.097	-14406.566987	302821.337272	329-15-20	180-39-49	3.000
W234-C4	-97776.453	5.174	-2805.036	-3.037	-14514.102423	296973.281911	329-55-09	180-39-49	3.000
W234-C5	-97773.857	5.209	-2806.540	-2.977	-14619.642403	291085.629554	330-34-59	180-39-50	3.000
W234-C6	-97771.244	5.243	-2808.013	-2.917	-14723.166691	285159.179511	331-14-48	180-39-49	3.000
W234-C7	-97768.614	5.277	-2809.456	-2.856	-14824.654861	279194.740749	331-54-37	180-39-49	3.000
W234-C8	-97765.967	5.309	-2810.869	-2.794	-14924.087143	273193.131886	332-34-26	180-39-49	3.000
W234-C9	-97763.304	5.341	-2812.251	-2.733	-15021.444153	267155.151860	333-14-15	180-39-49	3.000
W234-C10	-97760.626	5.373	-2813.602	-2.671	-15116.707451	261081.609250	333-54-04	180-39-49	3.000
W234-C11	-97757.932	4.905	-2814.921	-2.371	-13807.395049	231809.707474	334-33-54	180-39-50	2.448
W234-25	-97755.721	-45.206	-2815.973	-72.156	127297.705852	7053689.705151	236-18-09	81-44-15	85.465
合計				倍面積	5302.781994	-5302.781994			222.127
				面 積	2651.3909971	2651.3909971			

面積（座標法）計算書

地 番： W234-6

測点名	[1] X(i)	[2] X(i+1)-X(i-1)	[3] Y(i)	[4] Y(i+1)-Y(i-1)	[2]*[3]	[1]*[4]	方向角	夾 角	距 離
W235-2	-97546.067	-12.139	-3115.613	-10.344	37820.366686	1009037.189524	98-29-02	45-11-44	5.000
W235-1	-97546.805	-159.700	-3110.668	121.803	496773.791735	-11881472.893421	143-40-46	225-11-44	197.293
W235-9	-97705.767	-293.018	-2993.810	241.262	877240.715367	-23572700.933785	137-08-19	173-27-33	182.886
W235-8	-97839.823	-139.208	-2869.406	129.176	399443.170680	-12638532.784723	137-11-51	180-03-32	7.022
W230-3	-97844.975	41.872	-2864.634	75.284	-119948.302352	-7366199.927187	56-18-05	99-06-14	84.755
W230-2	-97797.951	46.375	-2794.121	75.478	-129578.509289	-7381571.979578	97-26-36	221-08-31	5.007
W230-1	-97798.600	6.076	-2789.157	-1.116	-16948.232033	109105.565044	317-53-00	40-26-24	9.066
W234-17	-97791.874	11.942	-2795.237	-9.567	-33381.115381	935608.376130	326-14-25	188-21-25	6.275
W234-18	-97786.657	7.741	-2798.724	-5.109	-21663.772183	499639.605753	327-15-53	181-01-28	3.000
W234-C1	-97784.134	2.993	-2800.346	-1.917	-8382.432737	187420.355874	327-55-42	180-39-49	0.554
W234-9	-97783.664	-4.424	-2800.641	-1.322	12389.354614	129227.956861	191-51-15	43-55-33	5.000
W234-8	-97788.558	-34.719	-2801.668	-45.753	97271.258565	4474093.503099	236-18-09	224-26-54	53.758
W234-7	-97818.383	-26.315	-2846.393	-74.519	74902.750709	7289373.593619	276-43-12	220-25-03	30.000
W234-6	-97814.873	120.277	-2876.187	-138.153	-345939.708370	13513398.676024	317-08-20	220-25-08	159.299
W234-5	-97698.106	275.261	-2984.546	-224.874	-821530.336981	21969746.513443	323-40-45	186-32-25	196.714
W234-4	-97539.611	163.440	-3101.061	-115.777	-506837.386609	11292869.940045	8-29-02	224-48-17	5.000
W234-3	-97534.666	-6.456	-3100.323	-14.552	20015.822278	1419309.808574	233-17-18	44-48-16	19.072
合計				倍面積	11647.434698	-11647.434698			969.701
				面 積	5823.7173492	5823.7173492			

面 積 (座 標 法) 計 算 書

地 番 : W234-7

測点名	[1] X(i)	[2] X(i+1)-X(i-1)	[3] Y(i)	[4] Y(i+1)-Y(i-1)	[2]*[3]	[1]*[4]	方向角	夾 角	距 離
W234-2	-97497.985	-2.199	-2909.407	-17.419	6397.892407	1698310.841727	151-33-17	45-00-00	10.000
W234-1	-97506.777	-51.380	-2904.644	-7.896	149239.681425	769901.734851	196-33-17	225-00-00	44.429
W234-12	-97549.364	-66.250	-2917.303	66.948	193272.703800	-6530773.448952	106-33-17	90-00-00	83.050
W234-11	-97573.028	-32.390	-2837.696	84.492	91911.827116	-8244107.976137	150-45-48	224-12-31	10.000
W234-10	-97581.754	-9.426	-2832.812	4.709	26701.802141	-459517.104318	194-03-05	223-17-17	0.721
W234-C157	-97582.454	-3.615	-2832.987	-0.883	10241.667062	86143.809184	193-38-36	179-35-31	3.000
W234-C156	-97585.369	-5.839	-2833.694	-1.382	16544.808350	134836.280617	192-59-07	179-20-31	3.000
W234-C155	-97588.292	-5.854	-2834.369	-1.315	16592.632072	128287.470881	192-19-38	179-20-31	3.000
W234-C154	-97591.223	-5.869	-2835.009	-1.247	16638.089865	121721.355663	191-40-09	179-20-31	3.000
W234-C153	-97594.161	-5.883	-2835.616	-1.180	16681.173164	115138.809802	191-00-40	179-20-31	3.000
W234-C152	-97597.106	-5.896	-2836.189	-1.112	16721.873003	108540.679065	190-21-11	179-20-31	3.000
W234-C151	-97600.057	-5.908	-2836.728	-1.044	16760.181731	101927.838696	189-41-42	179-20-31	3.000
W234-C150	-97603.014	-5.920	-2837.233	-0.976	16796.091870	95301.164144	189-02-13	179-20-31	3.000
W234-C149	-97605.977	-5.931	-2837.704	-0.908	16829.595840	88661.511544	188-22-44	179-20-31	3.000
W234-C148	-97608.945	-5.941	-2838.142	-0.840	16860.687656	82009.756758	187-43-15	179-20-31	3.000
W234-C147	-97611.918	-5.950	-2838.545	-0.772	16889.360382	75346.795377	187-03-46	179-20-31	3.000
W234-C146	-97614.895	-5.958	-2838.913	-0.704	16915.608968	68673.493924	186-24-17	179-20-31	3.000
W234-C145	-97617.876	-5.966	-2839.248	-0.635	16939.428264	61990.728891	185-44-48	179-20-31	3.000
W234-C144	-97620.861	-5.973	-2839.548	-0.566	16960.813019	55299.376984	185-05-19	179-20-31	3.000
W234-C143	-97623.849	-5.979	-2839.815	-0.498	16979.759307	48600.315120	184-25-50	179-20-31	3.000
W234-C142	-97626.840	-5.985	-2840.046	-0.429	16996.263103	41894.439956	183-46-21	179-20-31	3.000
W234-C141	-97629.834	-5.989	-2840.244	-0.360	17010.321708	35182.628842	183-06-52	179-20-31	3.000
W234-C140	-97632.829	-5.993	-2840.407	-0.292	17021.932042	28465.759340	182-27-23	179-20-31	3.000
W234-C139	-97635.826	-5.996	-2840.535	-0.223	17031.091215	21744.728758	181-47-54	179-20-31	3.000
W234-C138	-97638.825	-5.998	-2840.629	-0.154	17037.798233	15020.415092	181-08-25	179-20-31	3.000
W234-C137	-97641.824	-5.999	-2840.689	-0.085	17042.051721	8293.716086	180-28-56	179-20-31	3.000
W234-C136	-97644.824	-6.000	-2840.714	-0.016	17043.850497	1565.500408	179-49-27	179-20-31	3.000
W234-C135	-97647.824	-6.000	-2840.705	0.053	17043.194137	-5163.343528	179-09-58	179-20-31	3.000

面 積 (座 標 法) 計 算 書

地 番 : W234-7

測点名	[1] X(i)	[2] X(i+1)-X(i-1)	[3] Y(i)	[4] Y(i+1)-Y(i-1)	[2]*[3]	[1]*[4]	方向角	夾 角	距 離
W234-C134	-97650.824	-5.999	-2840.661	0.122	17040.082975	-11891.897797	178-30-29	179-20-31	3.000
W234-C133	-97653.823	-5.997	-2840.583	0.191	17034.517538	-18619.312606	177-51-00	179-20-31	3.000
W234-C132	-97656.821	-5.994	-2840.471	0.260	17026.498827	-25344.689122	177-11-31	179-20-31	3.000
W234-C131	-97659.817	-4.855	-2840.324	0.256	13790.373112	-24952.415302	176-39-31	179-28-00	1.862
W234-19	-97661.676	-1.325	-2840.215	9.102	3762.792472	-888922.248097	86-36-07	89-56-36	9.009
W240-2	-97661.142	1.036	-2831.222	8.963	-2933.029089	-875313.874124	356-29-34	89-53-27	0.503
W240-C133	-97660.640	3.298	-2831.253	-0.184	-9336.789320	17942.486218	356-52-07	180-22-33	2.800
W240-C132	-97657.844	5.593	-2831.405	-0.275	-15836.439574	26837.752541	357-30-20	180-38-13	2.800
W240-C131	-97655.047	5.596	-2831.527	-0.213	-15844.795140	20761.189514	358-08-34	180-38-14	2.800
W240-C130	-97652.248	5.598	-2831.618	-0.150	-15851.017682	14682.415903	358-46-48	180-38-14	2.800
W240-C129	-97649.449	5.599	-2831.678	-0.088	-15855.105912	8602.174314	359-25-02	180-38-14	2.800
W240-C128	-97646.649	5.600	-2831.706	-0.026	-15857.058974	2521.207185	0-03-16	180-38-14	2.800
W240-C127	-97643.849	5.600	-2831.704	0.036	-15856.876729	-3559.713927	0-41-30	180-38-14	2.800
W240-C126	-97641.049	5.599	-2831.670	0.099	-15854.558908	-9639.846932	1-19-44	180-38-14	2.800
W240-C125	-97638.250	5.598	-2831.605	0.161	-15850.106241	-15718.440148	1-57-57	180-38-13	2.800
W240-C124	-97635.452	5.595	-2831.509	0.223	-15843.519326	-21794.742062	2-36-11	180-38-14	2.800
W240-C123	-97632.655	5.593	-2831.382	0.285	-15834.799193	-27868.001336	3-14-25	180-38-14	2.800
W240-C122	-97629.859	5.589	-2831.223	0.348	-15823.947876	-33937.466805	3-52-39	180-38-14	2.800
W240-C121	-97627.066	5.585	-2831.034	0.410	-15810.966989	-40002.387473	4-30-53	180-38-14	2.800
W240-C120	-97624.274	5.580	-2830.814	0.472	-15795.859146	-46062.012518	5-09-07	180-38-14	2.800
W240-C119	-97621.486	5.574	-2830.562	0.534	-15778.627679	-52115.601048	5-47-21	180-38-14	2.800
W240-C118	-97618.700	5.568	-2830.280	0.596	-15759.274649	-58162.392820	6-25-35	180-38-14	2.800
W240-C117	-97615.918	5.561	-2829.966	0.658	-15737.804249	-64201.647284	7-03-48	180-38-13	2.800
W240-C116	-97613.139	5.553	-2829.622	0.719	-15714.220537	-70232.633819	7-42-02	180-38-14	2.800
W240-C115	-97610.364	5.545	-2829.247	0.781	-15688.527148	-76254.582926	8-20-16	180-38-14	2.800
W240-C114	-97607.594	5.536	-2828.841	0.843	-15660.729848	-82266.764320	8-58-30	180-38-14	2.800
W240-C113	-97604.828	5.526	-2828.404	0.904	-15630.832846	-88268.438120	9-36-44	180-38-14	2.800
W240-C112	-97602.067	5.516	-2827.936	0.966	-15598.842195	-94258.854850	10-14-58	180-38-14	2.800

面 積 (座 標 法) 計 算 書

地 番 : W234-7

測点名	[1] X(i)	[2] X(i+1)-X(i-1)	[3] Y(i)	[4] Y(i+1)-Y(i-1)	[2]*[3]	[1]*[4]	方向角	夾 角	距 離
W240-C111	-97599.312	5.505	-2827.438	1.027	-15564.763523	-100237.284719	10-53-12	180-38-14	2.800
W240-C110	-97596.562	5.493	-2826.909	1.088	-15528.602882	-106202.988338	11-31-25	180-38-13	2.800
W240-C109	-97593.819	5.481	-2826.350	1.149	-15490.367596	-112155.226480	12-09-39	180-38-14	2.800
W240-C108	-97591.082	5.468	-2825.760	1.210	-15450.063715	-118093.260078	12-47-53	180-38-14	2.800
W240-C107	-97588.351	5.454	-2825.140	1.271	-15407.699402	-124016.379504	13-26-07	180-38-14	2.800
W240-C106	-97585.628	5.439	-2824.489	1.331	-15363.282110	-129923.836248	14-04-21	180-38-14	2.800
W240-C105	-97582.912	5.424	-2823.809	1.392	-15316.819992	-135814.891716	14-42-35	180-38-14	2.800
W240-C104	-97580.204	5.408	-2823.098	1.452	-15268.321615	-141688.836746	15-20-49	180-38-14	2.800
W240-C103	-97577.504	5.392	-2822.357	1.512	-15217.795394	-147544.952566	15-59-03	180-38-14	2.800
W240-16	-97574.812	8.557	-2821.586	2.514	-24145.599258	-245339.765084	16-33-09	180-34-06	6.119
W239-27	-97568.946	29.495	-2819.842	-77.749	-83171.700208	7585931.019151	286-33-17	90-00-08	82.930
W239-4	-97545.317	32.422	-2899.335	-84.256	-94002.704746	8218776.221548	331-33-17	225-00-00	10.000
W239-3	-97536.524	35.975	-2904.098	3.317	-104475.516982	-323515.345962	16-33-17	225-00-00	28.358
W239-2	-97509.341	31.946	-2896.018	16.873	-92515.247281	-1645253.647110	61-33-17	225-00-00	10.000
W239-1	-97504.578	11.357	-2887.225	-13.389	-32789.876389	1305528.278163	286-33-17	45-00-00	23.141
合計				倍面積 面 積	4294.354674 2147.1773375	-4294.354674 2147.1773375			484.922